

Certificate of Analysis

No. 303 - 001

Medi Extract Eastern Cape (Pty) Ltd

Attn: Jan Boshoff
3 Hoof Street
Joubertina
Eastern Cape
6410
+27824429698

2023-09-15

Sample No: 3323427

Batch Number: Gorilla Glue

Product Description: Gorilla Glue - 67 gram

Sample Type: Flower

Date Manufactured: Jul-23

Date Received: 2023-08-25

Seal: Vacuum sealed 90 GSM bag

Condition: Good

Expiry date (if applicable): Nov-24

Analysis Start Date: 2023-08-25

Packaging: Vacuum sealed 90 GSM bag

CANNABINOIDS | HPLC-UV | DAB MONOGRAPH | DATE ANALYSED: 2023-08-29

Parameter	Method	Unit	Result
Cannabidiol (CBD)	VIN-05-M46/ Ph. Eur.2.2.29	wt%	0.1
Tetrahydrocannabinol (THCV)	VIN-05-M46/ Ph. Eur.2.2.29	wt%	0.4
Cannabidiol (CBD)	VIN-05-M46/ Ph. Eur.2.2.29	wt%	0.0
Cannabidiolic Acid (CBDA)	VIN-05-M46/ Ph. Eur.2.2.29	wt%	0.1
Cannabigerol (CBG)	VIN-05-M46/ Ph. Eur.2.2.29	wt%	0.1
Cannabinol (CBN)	VIN-05-M46/ Ph. Eur.2.2.29	wt%	0.0
Cannabigerolic Acid (CBGA)	VIN-05-M46/ Ph. Eur.2.2.29	wt%	0.5
Delta-9-Tetrahydrocannabinol (d9-THC)	VIN-05-M46/ Ph. Eur.2.2.29	wt%	0.3
Delta-8-Tetrahydrocannabinol (d8-THC)	VIN-05-M46/ Ph. Eur.2.2.29	wt%	0.0
Cannabichromene (CBC)	VIN-05-M46/ Ph. Eur.2.2.29	wt%	0.0
Tetrahydrocannabinolic Acid (THCA)	VIN-05-M46/ Ph. Eur.2.2.29	wt%	22.3
% THC Total *	VIN-05-M46/ Ph. Eur.2.2.29	wt%	19.9
% CBD Total*	VIN-05-M46/ Ph. Eur.2.2.29	wt%	0.1
% CBG Total*	VIN-05-M46/ Ph. Eur.2.2.29	wt%	0.5

Cannabinoids on flowers are reported on a dry basis

Caitlyn McCartney
Laboratory Manager - RP
VIN-05-M46,M70,M86

Test results relate only to the items tested as received. This Document shall not be reproduced without the written approval of Vinlab (Pty) Ltd. Opinions and interpretations expressed herein are outside the scope of SANAS accreditation.

* Not SANAS Accredited. Results marked "Not SANAS Accredited" in this report are not included in the SANAS Scope of Accreditation for Vinlab.

Results marked "Subcontracted Tests" in this report are not included in the SANAS Scope of Accreditation for this laboratory.

Vinlab (PTY) LTD
Distillery Road
Stellenbosch
7600
Tel 021-8828866/7
info@vinlab.com
www.vinlab.com



00001406 - 1

No. 303 - 001

Sample No: 3323427

Page: 1 of 7

TERPENES | GC-FID | DATE ANALYSED: 2023-08-31

Parameter	Unit	Result	%Weight
Alpha-Bisabolol*	mg/g	0.060	0.006
Alpha-Humulene*	mg/g	1.167	0.1167
Alpha-Pinene*	mg/g	0.630	0.063
Alpha-Terpinene*	mg/g	0.069	0.0069
Beta-Caryophyllene*	mg/g	2.194	0.2194
Beta-Myrcene*	mg/g	3.230	0.323
Beta-Pinene*	mg/g	0.631	0.0631
Camphene*	mg/g	not detected	
Cis-Nerolidol*	mg/g	0.197	0.0197
Delta-3-Carene*	mg/g	0.554	0.0554
Gamma-Terpinene*	mg/g	0.110	0.011
Geraniol*	mg/g	not detected	
Guaiol*	mg/g	0.332	0.0332
Isopulegol*	mg/g	0.007	0.0007
Limonene*	mg/g	0.752	0.0752
Linalool*	mg/g	0.384	0.0384
Ocimene*	mg/g	2.694	0.2694
Para-Cymene*	mg/g	0.150	0.015
Terpinolene*	mg/g	4.043	0.4043
Total Nerolidol*	mg/g	0.337	0.0337
Trans-Nerolidol*	mg/g	0.141	0.0141
Total % Weight			1.7682

HEAVY METALS | ICP-MS | DATE ANALYSED: 2023-08-30

Parameter	Method	Unit	Specification	LOQ	Result
Mercury *	Ph.Eur.2.4.27	ppm	NMT 0.5ppm	< 0.05	<0.05
Lead *	Ph.Eur.2.4.27	ppm	NMT 5.0ppm	< 0.05	0.24
Arsenic *	Ph.Eur.2.4.27	ppm	NMT 3.0 ppm	< 0.01	0.49
Cadmium *	Ph.Eur.2.4.27	ppm	NMT 0.5ppm	< 0.01	0.25
Nickel *	-	ppm	N/A	-	0.25
Zinc *	-	ppm	N/A	-	131.95



Caitlyn McCartney
Laboratory Manager - RP
VIN-05-M46,M70,M86

Test results relate only to the items tested as received. This Document shall not be reproduced without the written approval of Vinlab (Pty) Ltd. Opinions and interpretations expressed herein are outside the scope of SANAS accreditation.

* Not SANAS Accredited. Results marked "Not SANAS Accredited" in this report are not included in the SANAS Scope of Accreditation for Vinlab.

Results marked "Subcontracted Tests" in this report are not included in the SANAS Scope of Accreditation for this laboratory.

Vinlab (PTY) LTD
Distillery Road
Stellenbosch
7600
Tel 021-8828866/7
info@vinlab.com
www.vinlab.com



00001406 - 1

Confirmation:

The test was carried out in accordance with recognised GMP regulations and agreed specifications. Within the scope of the tests carried out, the present sample complies with the indicated specification. The test was carried out by a GMP certified and SAHPRA licensed facility.

FOREIGN MATTER | DATE ANALYSED: 2023-09-04

Parameter	Method	Unit	Specification	LOQ	Result
Foreign Matter *	Ph.Eur.2.8.2	%	<= 2% (m/m)	N/A	<2

Confirmation:

The test was carried out in accordance with recognised GMP regulations and agreed specifications. Within the scope of the tests carried out, the present sample complies with the indicated specification. The test was carried out by a GMP certified and SAHPRA licensed facility.

TOTAL ASH | DATE ANALYSED: 2023-08-31

Parameter	Method	Unit	Specification	LOQ	Result
Total Ash Content *	Ph.Eur.2.4.16	%	<= 20%	N/A	9.96

Confirmation:

The test was carried out in accordance with recognised GMP regulations and agreed specifications. Within the scope of the tests carried out, the present sample complies with the indicated specification. The test was carried out by a GMP certified and SAHPRA licensed facility.

PESTICIDES | LC-MS/MS & GC-MS/MS | DATE ANALYSED: 2023-09-07

Parameter	Method	Unit	Specification	LOQ	Result
(E)-Chlorfenvinphos*	-	mg/kg	N/A	-	not detected
(Z)-Chlorfenvinphos*	-	mg/kg	N/A	-	not detected
2,4-Methoxychlor*	-	mg/kg	N/A	-	not detected
Acephate *	Ph.Eur.2.8.13	mg/kg	NMT 0.10	< 0.01	not detected
Alachlor *	Ph.Eur.2.8.13	mg/kg	NMT 0.05	< 0.01	not detected
Aldrin*	-	mg/kg	N/A	-	not detected
alpha-BHC*	-	mg/kg	N/A	-	not detected
alpha-Endosulfan*	-	mg/kg	N/A	-	not detected
Azinphos-ethyl*	Ph.Eur.2.8.13	mg/kg	NMT 0.10	< 0.01	not detected
Azinphos-methyl*	Ph.Eur.2.8.13	mg/kg	NMT 1.00	< 0.01	not detected
beta-BHC*	-	mg/kg	N/A	-	not detected
beta-Endosulfan*	-	mg/kg	N/A	-	not detected
Bromophos-ethyl *	Ph.Eur.2.8.13	mg/kg	NMT 0.05	< 0.01	not detected
Bromopropylate*	Ph.Eur.2.8.13	mg/kg	NMT 3.00	< 0.01	not detected
Chlorpyrifos*	-	mg/kg	N/A	-	not detected

Caitlyn McCartney
Laboratory Manager - RP
VIN-05-M46,M70,M86

Test results relate only to the items tested as received. This Document shall not be reproduced without the written approval of Vinlab (Pty) Ltd. Opinions and interpretations expressed herein are outside the scope of SANAS accreditation.

* Not SANAS Accredited. Results marked "Not SANAS Accredited" in this report are not included in the SANAS Scope of Accreditation for Vinlab.

Results marked "Subcontracted Tests" in this report are not included in the SANAS Scope of Accreditation for this laboratory.

Vinlab (PTY) LTD
Distillery Road
Stellenbosch
7600
Tel 021-8828866/7
info@vinlab.com
www.vinlab.com



000001406 - 1

Chlorpyrifos-methyl *	Ph.Eur.2.8.13	mg/kg	NMT 0.10	< 0.01	not detected
Chlorthal - dimethyl *	Ph.Eur.2.8.13	mg/kg	NMT 0.01	< 0.01	not detected
cis-Chlordane*	-	mg/kg	N/A	-	not detected
cis-Permethrine*	-	mg/kg	N/A	-	not detected
Cyfluthrin-1*	-	mg/kg	N/A	-	not detected
Cyfluthrin-2*	-	mg/kg	N/A	-	not detected
Cyfluthrin-3*	-	mg/kg	N/A	-	not detected
Cyfluthrin-4*	-	mg/kg	N/A	-	not detected
Cypermethrin-1*	-	mg/kg	N/A	-	not detected
Cypermethrin-2*	-	mg/kg	N/A	-	not detected
Cypermethrin-3*	-	mg/kg	N/A	-	not detected
Cypermethrin-4*	-	mg/kg	N/A	-	not detected
delta-BHC*	-	mg/kg	N/A	-	not detected
Deltamethrin-1*	-	mg/kg	N/A	-	not detected
Deltamethrin-2*	-	mg/kg	N/A	-	not detected
Diazinon *	Ph.Eur.2.8.13	mg/kg	NMT 0.50	< 0.01	not detected
Dichlofluanid *	Ph.Eur.2.8.13	mg/kg	NMT 0.10	< 0.01	not detected
Dichlorvos *	Ph.Eur.2.8.13	mg/kg	NMT 1.00	< 0.01	not detected
Dieldrin *	-	mg/kg	N/A	-	not detected
Dimethoate*	-	mg/kg	N/A	-	not detected
Endosulfan ether*	-	mg/kg	N/A	-	not detected
Endrin *	Ph.Eur.2.8.13	mg/kg	NMT 0.05	< 0.01	not detected
Ethion *	Ph.Eur.2.8.13	mg/kg	NMT 2.00	< 0.01	not detected
Fenchlorphos*	-	mg/kg	N/A	-	not detected
Fenitrothion *	Ph.Eur.2.8.13	mg/kg	NMT 0.50	< 0.01	not detected
Fenpropathrin*	Ph.Eur.2.8.13	mg/kg	NMT 0.03	< 0.01	not detected
Fenthion*	Ph.Eur.2.8.13	mg/kg	NMT 0.05	< 0.01	not detected
Fonofos*	Ph.Eur.2.8.13	mg/kg	NMT 0.05	< 0.01	not detected
gamma-BHC (Lindane)*	Ph.Eur.2.8.13	mg/kg	NMT 0.60	< 0.01	not detected
Heptachlor*	Ph.Eur.2.8.13	mg/kg	NMT 0.05	< 0.01	not detected
Hexachlorobenzene *	Ph.Eur.2.8.13	mg/kg	NMT 0.10	< 0.01	not detected
lambda-Cyhalothrin*	Ph.Eur.2.8.13	mg/kg	NMT 1.00	< 0.01	not detected
Malaoxon *	-	mg/kg	N/A	-	not detected
Malathion*	-	mg/kg	N/A	-	not detected

Caitlyn McCartney
Laboratory Manager - RP
VIN-05-M46,M70,M86

Test results relate only to the items tested as received. This Document shall not be reproduced without the written approval of Vinlab (Pty) Ltd. Opinions and interpretations expressed herein are outside the scope of SANAS accreditation.

* Not SANAS Accredited. Results marked "Not SANAS Accredited" in this report are not included in the SANAS Scope of Accreditation for Vinlab.

Results marked "Subcontracted Tests" in this report are not included in the SANAS Scope of Accreditation for this laboratory.

Vinlab (PTY) LTD
Distillery Road
Stellenbosch
7600
Tel 021-8828866/7
info@vinlab.com
www.vinlab.com



000001406 - 1

Mecarbam *	Ph.Eur.2.8.13	mg/kg	NMT 0.05	< 0.01	not detected
Methacrifos*	Ph.Eur.2.8.13	mg/kg	NMT 0.05	< 0.01	not detected
Methamidophos *	Ph.Eur.2.8.13	mg/kg	NMT 0.05	< 0.01	not detected
Methidathion *	Ph.Eur.2.8.13	mg/kg	NMT 0.20	< 0.01	not detected
Methoxychlor *	Ph.Eur.2.8.13	mg/kg	NMT 0.05	< 0.01	not detected
Mirex *	Ph.Eur.2.8.13	mg/kg	NMT 0.01	< 0.01	not detected
Monocrotophos *	Ph.Eur.2.8.13	mg/kg	NMT 0.10	< 0.01	not detected
o,p-DDD*	-	mg/kg	N/A	-	not detected
o,p-DDE*	-	mg/kg	N/A	-	not detected
o,p-DDT*	-	mg/kg	N/A	-	not detected
Omethoate *	-	mg/kg	N/A	-	not detected
p,p-DDD*	-	mg/kg	N/A	-	not detected
p,p-DDE*	-	mg/kg	N/A	-	not detected
p,p-DDT*	-	mg/kg	N/A	-	not detected
Paraoxon-Ethyl*	-	mg/kg	N/A	-	not detected
Parathion*	-	mg/kg	N/A	-	not detected
Parathion-methyl*	-	mg/kg	N/A	-	not detected
Pendimethalin *	Ph.Eur.2.8.13	mg/kg	NMT 0.50	< 0.01	not detected
Pentachlorothioanisole*	-	mg/kg	N/A	-	not detected
Permethrin-1*	-	mg/kg	N/A	-	not detected
Permethrin-2*	-	mg/kg	N/A	-	not detected
Phosalone *	Ph.Eur.2.8.13	mg/kg	NMT 0.10	< 0.01	not detected
Phosmet *	Ph.Eur.2.8.13	mg/kg	NMT 0.05	< 0.01	not detected
Piperonyl butoxide *	Ph.Eur.2.8.13	mg/kg	NMT 3.00	< 0.01	not detected
Pirimiphos ethyl *	Ph.Eur.2.8.13	mg/kg	NMT 0.05	< 0.01	not detected
Pirimiphos-methyl*	Ph.Eur.2.8.13	mg/kg	NMT 4.00	< 0.01	not detected
Procymidone *	Ph.Eur.2.8.13	mg/kg	NMT 0.10	< 0.01	not detected
Profenofos*	Ph.Eur.2.8.13	mg/kg	NMT 0.10	< 0.01	not detected
Prothiofos*	Ph.Eur.2.8.13	mg/kg	NMT 0.05	< 0.01	not detected
Quinalphos *	Ph.Eur.2.8.13	mg/kg	NMT 0.05	< 0.01	not detected
S-421 *	Ph.Eur.2.8.13	mg/kg	NMT 0.02	< 0.01	not detected
Tecnazene *	Ph.Eur.2.8.13	mg/kg	NMT 0.05	< 0.01	not detected
Tetradifon *	Ph.Eur.2.8.13	mg/kg	NMT 0.30	< 0.01	not detected
trans-Chlordane*	-	mg/kg	N/A	-	not detected

Caitlyn McCartney
Laboratory Manager - RP
VIN-05-M46,M70,M86

Test results relate only to the items tested as received. This Document shall not be reproduced without the written approval of Vinlab (Pty) Ltd. Opinions and interpretations expressed herein are outside the scope of SANAS accreditation.

* Not SANAS Accredited. Results marked "Not SANAS Accredited" in this report are not included in the SANAS Scope of Accreditation for Vinlab.

Results marked "Subcontracted Tests" in this report are not included in the SANAS Scope of Accreditation for this laboratory.

Vinlab (PTY) LTD
Distillery Road
Stellenbosch
7600
Tel 021-8828866/7
info@vinlab.com
www.vinlab.com



000001406 - 1

trans-Permethrine*	-	mg/kg	N/A	-	not detected
Vinclozolin *	Ph.Eur.2.8.13	mg/kg	NMT 0.40	< 0.01	not detected

Subcontracted Analyses

Confirmation:

The test was carried out in accordance with recognised GMP regulations and agreed specifications. Within the scope of the tests carried out, the present sample complies with the indicated specification. The test was carried out by a GMP certified and SAHPRA licensed facility.

MICROBIOLOGICAL ANALYSIS – TAMC, TYMC, BILE TOLERANT GRAM-NEGATIVE COUNT, E. COLI, SALMONELLA | DATE ANALYSED: 2023-08-25

Parameter	Method	Unit	Specification	LOQ	Result
Total Aerobic Microbial Count *	Ph.Eur.2.6.12	cfu/g	<=200 cfu per g/ml	-	absent
Total Bile tolerant Gram-Negative Count	Ph.Eur.2.6.31	cfu/g	Absent per g/ml	-	absent
Total Yeast and Moulds *	Ph.Eur.2.6.12	cfu/g	<= 20 cfu per g/ml	-	10
Salmonella *	Ph.Eur.2.6.31	/10g	N/A	-	absent
E.Coli *	Ph.Eur.2.6.31	/g	N/A	-	absent

Confirmation:

The test was carried out in accordance with recognised GMP regulations and agreed specifications. Within the scope of the tests carried out, the present sample complies with the indicated specification. The test was carried out by a GMP certified and SAHPRA licensed facility.

MICROBIOLOGICAL ANALYSIS – STAPHYLOCOCCUS AUREUS | DATE ANALYSED: 2023-08-25

Parameter	Method	Unit	Specification	LOQ	Result
S.aureus *	Ph.Eur.2.6.13	/g	Absent per g/ml	-	absent

Confirmation:

The test was carried out in accordance with recognised GMP regulations and agreed specifications. Within the scope of the tests carried out, the present sample complies with the indicated specification. The test was carried out by a GMP certified and SAHPRA licensed facility.

Confirmation Statement:

I, hereby confirm that the sample(s) received have been analysed in compliance with the Contract Giver's product analysis methodology in accordance with the Technical Quality Agreement between both parties and in full compliance with the required SAHPRA GMP standards. Furthermore, I hereby confirm that Vinlab (Pty) Ltd is in possession of a valid SAHPRA license to perform the required analysis as stipulated in the Technical Quality Agreement.



H.Smit
Director



Caitlyn McCartney
Laboratory Manager - RP
VIN-05-M46,M70,M86

Test results relate only to the items tested as received. This Document shall not be reproduced without the written approval of Vinlab (Pty) Ltd. Opinions and interpretations expressed herein are outside the scope of SANAS accreditation.

* Not SANAS Accredited. Results marked "Not SANAS Accredited" in this report are not included in the SANAS Scope of Accreditation for Vinlab.

Results marked "Subcontracted Tests" in this report are not included in the SANAS Scope of Accreditation for this laboratory.

Vinlab (PTY) LTD
Distillery Road
Stellenbosch
7600
Tel 021-8828866/7
info@vinlab.com
www.vinlab.com



Appendix A - Photographs



Image 1 - Sample in packaging as received from client

Caitlyn McCartney
Laboratory Manager - RP
VIN-05-M46,M70,M86

Test results relate only to the items tested as received. This Document shall not be reproduced without the written approval of Vinlab (Pty) Ltd. Opinions and interpretations expressed herein are outside the scope of SANAS accreditation.

* Not SANAS Accredited. Results marked "Not SANAS Accredited" in this report are not included in the SANAS Scope of Accreditation for Vinlab.

Results marked "Subcontracted Tests" in this report are not included in the SANAS Scope of Accreditation for this laboratory.

Vinlab (PTY) LTD
Distillery Road
Stellenbosch
7600

Tel 021-8828866/7
info@vinlab.com
www.vinlab.com

No. 303 - 001



000001406 - 1

Sample No: 3323427

Page: 7 of 7